

| | | | | | | | | |
|---------------------------------|--------------|---------|---------|---------|---------|---------|---------|----------|
| 产量(t/h) Capacity | 10 ~ 15 | 10 ~ 15 | 14 ~ 22 | 20 ~ 28 | 26 ~ 35 | 35 ~ 45 | 45 ~ 56 | 70 ~ 90 |
| 原煤水分(%) Coal Moisture | <15 | | | | | | | |
| 煤粉细度(%) Coal Powder Fineness | R0.08=2 ~ 12 | | | | | | | |
| 煤粉水分(%) Coal Powder Moisture | ≤1 | | | | | | | |
| 主电机功率(kW) Main Motor Power | 110/132 | 160/185 | 220/250 | 315/355 | 400/450 | 450/500 | 560/630 | 900/1120 |

注： 1.原煤哈氏可磨数 ≥50

2.可用于粉磨无烟煤，煤粉细度(R_{0.08}) ≤3%(但产量相应会降低。)

Re: 1.HGI≥50

2.Coal Finenes ≤ 3% when grinding anthracite ,the capacity will go down

HRM煤粉立式磨规格、技术参数表(冶金、热力、能源行业)

Specification and technical parameter sheet of HRM pulverized coal vertical mill(Metallurgy, heating power and energy industry)

| 型号规格 Specification | HRM10/2M | HRM14/2M | HRM16/2M | HRM17/2M | HRM18/2M | HRM19/2M | HRM21/2M | HRM24/2M |
|--|--|----------|----------|----------|----------|----------|----------|----------|
| 磨盘中径(mm) Grinding table median diameter | 800 | 1100 | 1250 | 1300 | 1300 | 1400 | 1700 | 1900 |
| 产量 (t/h) Capacity | 3 ~ 5 | 7 ~ 10 | 9 ~ 12 | 13 ~ 17 | 14 ~ 19 | 18 ~ 24 | 23 ~ 30 | 29 ~ 37 |
| 原煤水分(%) Coal Moisture | <15% | | | | | | | |
| 煤粉细度(200目) Coal Powder Fineness | R0.08=10% ~ 15%(高炉喷煤用煤粉细度; 200目80%通过) R0.08=10% ~ 15%(Fineness for pulverized coal injection,80% passing of 200 mesh sieve) | | | | | | | |
| 煤粉水分(%) Coal Powder Moisture | ≤1 ~ 6 | | | | | | | |
| 主电机功率(kW) Main Motor Power | 45/55 | 90/110 | 110/132 | 160/185 | 185/250 | 220/250 | 280/315 | 355/400 |

| 型号规格 Specification | HRM28/2M | HRM29/3M | HRM30/2M | HRM34/3M | HRM42/4M | HRM45/4M | HRM50/4M | HRM56/4M |
|--|----------|----------|----------|----------|-----------|-----------|-----------|-----------|
| 磨盘中径(mm) Grinding table median diameter | 2200 | 2400 | 2500 | 2800 | 3400 | 3700 | 4200 | 4800 |
| 产量(t/h) Capacity | 36 ~ 45 | 45 ~ 56 | 56 ~ 70 | 70 ~ 90 | 110 ~ 135 | 140 ~ 170 | 200 ~ 250 | 260 ~ 320 |
| 原煤水分(%) Coal Moisture | <15% | | | | | | | |