

您身边的过滤专家

THE EXPERT OF YOUR FILTRATION

浙江金鸟压滤机有限公司
杭州防腐设备有限公司
地址：中国杭州市莫干山路308号6楼
电话：+86-571-8819 3463
传真：+86-571-8809 1216
邮编：310005
网址：www.chinagoldenbird.com
邮箱：sales@chinagoldenbird.com

ZHEJIANG GOLDENBIRD FILTER PRESS CO., LTD.
HANGZHOU ANTICORROSIVE EQUIPMENT CO., LTD.
Add : 6F,308#,MOGANSHAN RD., HANGZHOU,PR CHINA
Tel : +86-571-8819 3463
Fax : +86-571-8809 1216
P C : 310005
Web: www.chinagoldenbird.com
Email : sales@chinagoldenbird.com





因为专业 · 所以更好
BETTER DUE TO SPECIALTY

公司简介 >>

浙江金鸟压滤机有限公司（杭州防腐设备有限公司）创建于1971年，是国内主要专业的压滤机制造及服务商之一。公司是国内首家开发、生产塑料滤板的企业，是压滤机行业标准主要起草者，行业协会副理事长单位，参与国家火炬项目。

金鸟压滤机是一种操作简单、低能耗、高效率的固液分离设备，广泛应用于化工、矿物加工、食品、医药及环保等行业。秉承“**因为专业，所以更好**”发展理念，依托自有技术研发团队，吸收和消化了德国、日本同行先进技术的基础上，公司开发了板框式压滤机、厢式压滤机、隔膜式压滤机、叶滤机等先进的固液分离设备，并根据市场需求不断推出新产品。**金鸟**奉行“**满足用户，服务至上**”的企业宗旨，建立了严格的按照ISO9001国际质量认证体系和CE认证标准的质量保证体系，并提供又快又好的售前咨询、售后服务。产品畅销全国各地并出口东南亚、西亚、非洲、欧洲、美洲等，累计用户已达9000多家。

40多年与客户密切交往的丰富经验，我们的产品基本可以满足各个行业需要。**金鸟**乐意提供**独到的、最佳的**固液分离解决方案来满足您的个性需求。

我们热忱欢迎您来到美丽的西湖，**金鸟**将与您共创未来。


BRIEF INTRODUCTION >>

ZHEJIANG **GOLDENBIRD** FILTER PRESS CO., LTD. (HANGZHOU ANTICORROSIVE EQUIPMENT CO., LTD.) was established in 1971 and is one of the leading professional manufactures & servicer of filter press in China. We are the first enterprise that develops and produces plastic filter plates in China and also plays key role in driving the filter press industry standard. We are the vice chairman of filtration machine association and join the national torch project in China.

GOLDENBIRD filter press is an operation easily and cost-effective devices for solid/ liquid separation processing, has been widely used in various industries including chemistry, ore process, food, pharmacy and waste-water treatment and etc. We believe that we do “**Better due to Our Specialty**”. Depending on own R&D team and adopting the advanced technologies from German and Japan, we have developed various high quality filter and separation equipments, such as plate and frame filter press, recessed filter press, membrane filter press, belt filter press and etc., and develop new specific products to meet even-increasing demands. “**Satisfying the customers**” is our business principle, we have set up effective quality system which strictly corresponds to requirements of International Standard System ISO9001 and CE Certificate of conformity, quick and excellent services are offered both before and after sales. Our products are sold not only all over China, but also to south-east Asia, west Asia, Africa, Europe, America and etc. We have accumulated more than 9000 users.

More than 40 years of experiences and a teamwork interacting closely with our customers, we are proud that our products and services can meet demand of most industries. And we are pleased to provide **UNIQUE& EXCLUSIVE** solutions for solid/liquid separation you desired.

We sincerely welcome you to visit us at the beautiful West Lake. **GOLDENBIRD** will be glad to create the future with you.



1971



中国塑料滤板研制成功

1st plastic filter plate was developed


1985



第一块模压厢式滤板

1st chamber plate by mould

1992



榨酒用隔膜压滤机

Membrane filter press for rice wine

1998



第二个工厂并改制

2nd plant and restructured

2004



第三个工厂及成立
浙江金鸟压滤机公司

3rd plant and GOLDENBIRD established

GOLDENBIRD GROWTH

金鸟成长





因为专业·所以更好
BETTER DUE TO SPECIALTY

金鸟成就 GOLDENBIRD HONORS

金鸟公司作为塑料滤板首创者，40年来获奖无数，获得社会各界认可。

GOLDENBIRD filter press was awarded many honors and certifications within 40 years




行业证书

Certifications of associations



各种证书

Various of certifications



行业标准起草

Draft national standard of filter press



30余项专利

More than 30 patents



各种证书

Various of certifications

产品及服务 Products and services



金鸟公司40余年的历史，积累了丰富的经验，提供：

- ★ 固-液分离咨询设计，解决方案
- ★ 成套过滤装置
- ★ 各种过滤设备及附件
- ★ 原有设备的改造或翻新

More than 40 years of experiences and a teamwork interacting closely with our customers, GOLDENBIRD provides:

- ★ Consult & design service, filtration solution
- ★ Packaged filtration equipments system
- ★ Various of filtration machines and accessories
- ★ Outdated machine refurbishment



研发团队
R&D team



全自动设备
Fully auto filter press



成套设备
Packaged equipment

产品及服务 Products and services

矿物加工 Ore Processing

压滤机应用于矿物加工，主要有2个阶段：

- ★ 矿物开采及尾矿处理
- ★ 矿物冶炼

The filter press is usually applied in 2 stages of ore processing industries:

- ★ Ore mine and tailing treatment
- ★ Ore smelt




各种防腐要求
Meet anticorrosive demands

锌冶炼-压滤机群
Filter press group- Zinc refine




尾矿干排应用 Applied in tailing plant


- ★ 解决尾矿库安全问题 / Solution of the trailing dam problem
- ★ 环保，减少污染 / Protection of environment
- ★ 水循环利用，物质回收 / Water reused and valuable recycle



特殊设计滤板
Unique plates




典型的布置图
Typical layout



快速拉开装置
Multi-shifter plate device



处理量可达500吨/天
Capacity up to 500T/ day



尾矿库---- 清澈的滤液--- 干滤饼
Tailing dam ---- Clear filtrate --- Dry cake

产品及服务 Products and services


胶体脱水 Gel dewatering




- ★ 代替传统的油压机
- ★ 全自动操作，节省人工80%
- ★ 密闭运行，无二次污染
- ★ 适用于卡拉胶、琼脂、结冷胶等难脱水胶体
- ★ Displace hydraulic press
- ★ Auto-run, reduce labor 80%
- ★ Closed operation to prevent 2nd pollution
- ★ Applied in agar, carrageenan, gellan gum etc



海藻 Seaweed



典型的安装图
Typical layout plan



脱水后的胶片
Gel sheet after dewatered



全自动运行 Fully auto run

棕榈油精炼 Palm oil refining




油脂行业专用压滤机


- ★ 过滤面积: 100~500M²
- ★ 过滤容积: 1500L~7500L
- ★ 工作压力: 0.5MPa~1.5MPa
- ★ 手动、半自动、全自动多种选择
- ★ 特有的抗静电设计

Specially design filter press for palm oil


- ★ Filter area: 100~500M²
- ★ Filter volume: 1500L~7500L
- ★ Oper. pressure: 0.5MPa~1.5MPa
- ★ Manual, semi-auto, fully-auto run
- ★ Unique design to anti-static electricity



过滤和压榨过程
Filtration & squeeze process



热油洗涤过程
Hot oil washing cloth process



油脂专用抗静电滤布
Unique anti-static electricity cloth



专用隔膜板
Unique rubber membrane plate




清澈的油
Clear filtered oil



干的油脂
Dry fat with high boiling point

产品及服务 Products and services

污水处理 Wastewater treatment



特点:

- ★ 市政污水干排
- ★ 工业废水处理
- ★ 全自动运行
- ★ 滤饼干度可达50%

Features:


- ★ Municipal sewage dewatering
- ★ Industries wastewater filtration
- ★ Fully auto run
- ★ Final cake moisture up to 50%



市政污泥处理量100吨/天/台
Municipal sewage 100T/ day/set



交钥匙工程
Turn key projects



保护环境是我们的职责
To protect environment is our duty

高压力脱水机 High pressure dewatering machine



特点:

- ★ 适用于难脱水污泥
- ★ 挤压力可达50bar
- ★ 滤饼干度可达65%
- ★ 循环周期减至 90分钟


Features:

- ★ For difficult dewatering sludge
- ★ Squeeze pressure up to 50 bar
- ★ Final cake moisture up to 35%
- ★ Min. cycle time 90 min

常规压滤机 Normal filter press



▲ 石材废水处理 Wastewater of stone industries



特点:

- ★ 厢式或隔膜型
- ★ 工作压力可达到2Mpa
- ★ 全自动、半自动、手动运行
- ★ 多种卸料方式

Features:

- ★ Chamber or mixed membrane plate type
- ★ Operating pressure up to 20Bar
- ★ Full auto, semi-auto, manual mode
- ★ Various of discharge cake type

产品及服务 Products and services

钛白粉行业解决方案

Solutions for titanium dioxide industries



▲ 叶滤机组 Moore filter group




▲ 7M² 叶滤板 7M² Moore plate

特点:

- ★ 叶滤机应用于酸洗阶段，效率高
- ★ 板框滤机应用于钛液，操作简单
- ★ 隔膜压滤机应用于窑前，滤饼含水量低
- ★ 快开压滤机应用于污水，处理量大

Features:

- ★ Moore filter is applied in wash acid period, high efficiency
- ★ Plate & plate filter is applied in titanium solution, operate easily
- ★ Membrane filter is applied in slurry before drier, much dry cake
- ★ Multi-shifting plate filter is applied in wastewater, high performance



汽车行业解决方案 Automotive industry solutions



● 水平密闭压滤机




水平密闭压滤机特点:

- ★ 连续工作
- ★ 整个流程“压紧—过滤—吹干滤渣—卸渣—清洗滤布”全自动运行
- ★ 独特滤布，过滤 / 卸渣快速，使用寿命长
- ★ 运行成本低
- ★ 处理量：~20M³/Hr
- ★ 适用范围：含渣少、自动化程度高行业，如磷化渣、电解、电镀等

Horizontal plate filter Features:

- ★ Operating continuously
- ★ Whole cycle runs automatically
- ★ Unique filter cloth, speed filter/cake discharge and service life
- ★ Low cost
- ★ Capacity: up to 20M³ per hour
- ★ Application area: less solid content & high automatization demand, such as phosphating solution/electrolyte/plating and ect industries



产品及服务 Products and services

悬梁式压滤机 Overhang beam filter press




特点:


- ★ 机架受力均匀, 寿命长
- ★ 操作者直接面对滤板组件, 操作、维护简单
- ★ 金属件在滤液上方, 防腐性优
- ★ 连续拉板设计易实现
- ★ 滤布行走设计, 适用于难卸物料

Features:

- ★ The frame bears stress evenly, long life
- ★ Operator face to filter plate pack, operates and maintain easily
- ★ Metallic parts can't reaches slurry, high anticorrosive performance
- ★ Shift plate continuously
- ★ Travelled cloth for discharge sticky cake



滤布行走
Travelled cloth run



连续拉板
Shift plate Continuously



自动运行显示屏
Auto run touch panel



滤布行走压滤机
Travelled cloth filter press



自动洗布
Auto wash cloth

PLC控制所有阀门
All valves are controlled by PLC



产品及服务 Products and services

自动洗滤布系列压滤机 Filter press with auto wash cloth devices




特点:


- ★ 自动洗布，减少劳动力
 - ★ 结构紧凑，占用空间小
 - ★ 成本低
 - ★ 维护、检修方便
 - ★ PLC控制，整个过程自动完成
- (*注：全自动运行需要必要的自动阀和仪器配合)

Features:


- ★ Auto wash cloth, reduce labor
 - ★ Compact structure less required operating space
 - ★ Low cost
 - ★ Maintenance & troubleshooting easily
 - ★ Whole cycle run unattended, controlled by PLC
- (*Notes: Should be equipped with automated valves & measure instruments)





▲ 双杆水洗
double pole wash cloth



▲ 单杆水洗
single pole wash cloth



▲ 转90° 滤布清洗
turn 90° for cloth wash



自动拉板装置
Auto plate shifter



自动洗布喷头
Auto wash cloth spray

产品及服务 Products and services


半自动压滤机 Semi-automatic filter press

特点:

- ★ 侧杠式或悬挂式设计
- ★ 仅用于厢式滤板和隔膜滤板
- ★ 滤板尺寸: 630mm到2000mm
- ★ 过滤面积: 5M²到1,180M²
- ★ 滤室容积: 70L到20,000L
- ★ 半自动拉板器辅助卸滤饼, PLC控制

Features:


- ★ Side beam or overhead beam design
- ★ Applied to recessed chamber & membrane filter plates only
- ★ 630mm to 2,000mm filter plates size
- ★ 5M² to 1,180M² filter area
- ★ 70Liter to 2,0000Liter cake capacity
- ★ Semi-auto shifter allows loosening plates without operator, controlled by PLC




带移动料斗压滤机
Filter press with moveable cake trolley



化工行业压滤机
Filter press applied in chemical industries




曲张杆+震打
Cloth vibrated+shock



集液翻板
Drip tray



曲张杆支座
Support of cloth vibrated




接液翻板
Drip tray



滤布曲张机构
Vibrate cloth device

产品及服务 Products and services

金属滤板压滤机 Filter press with metallic plates




特点:

- ★ 滤板材质为不锈钢, 铝合金, 铸铁等
- ★ 适用于高温物料 (150℃及以上)
- ★ 适用于含强有机溶剂物料
- ★ 适用于GMP认证医药企业
- ★ 适用于卫生要求高的食品行业


Features:

- ★ The filter plates are made of stainless steel, aluminium, cast iron etc
- ★ Applied in high temperature slurry (150°C and up)
- ★ Applied in slurry with strong solvent
- ★ Applied in pharmacy industries with GMP certificate
- ★ Applied in food industries



带接液槽板框式压滤机
Plate & frame filter press with flume

▼ 铝合金滤板
Aluminium filter plates



手动型不锈钢压滤机
Manual filter press with SS filter plate

▼ 包不锈钢压滤机
Filter press with SS cover



产品及服务 Products and services


滤板 Filter plate

滤板是压滤机的核心部分。根据不同需求，金鸟压滤机滤板有：


- ★ **材质：**聚丙烯、增强聚丙烯、铸铁、不锈钢、铝合金等
- ★ **结构：**板框式、厢式、隔膜式、特殊结构等
- ★ **进料方式：**顶部进料、中上方进料、中间进料、边角进料等
- ★ **出液方式：**明流出液、暗流出液、明/暗流出液等

Filter plates are the heart of filter press. To meet your special demands, GOLDENBIRD have various filter plates as follows.


- ★ **Material:** PP, RFPP, Cast Iron, SS, Aluminium and ect
- ★ **Structure:** Plate&frame type, recessed chamber plate, Membrane plate, Special plate and ect
- ★ **Feed:** Top/Above/Center and corner feed
- ★ **Discharge:** Open/Close and Open&close filtrate discharge




角进料 Corner feed




中进料 Centre feed



下进料 Below feed



上进料 Above feed



外部进料 External feed


厢式滤板 Recessed chamber plates

特点：

- ★ 过滤时不易堵塞，耐高温、高压
- ★ 过滤、洗涤效果好，速度快
- ★ 结构简单，使用寿命长


Features:

- ★ Non-block while operating, high temp and pressure resistance
- ★ Effective filtration & washing cake
- ★ Simple structure, long service life time




▲ 400mm系列—2000mm系列厢式滤板
Recessed chamber plates range 400mm to 2000mm series

隔膜滤板 Membrane plate




聚丙烯隔膜滤板
PP membrane plates



角进料聚丙烯隔膜滤板
PP membrane corner feed plates




无凸台橡胶隔膜滤板
Rubber membrane plates without stayboss




中进料橡胶隔膜滤板
Standard rubber membrane plates


板框式滤板 Plate & frame type



板框式滤板
Plate & frame type




板框式铝滤板
Aluminium plate & frame type




310mm系列—1200mm系列板框式滤板
Plate & frame type range 310mm to 1200mm series

滤布嵌入式滤板 CGR design plate




CGR隔膜滤板
CGR membrane plate





带密封条滤板
Filter plate with sealing

金属滤板 Metal plates




各种不锈钢、铸铁滤板
Various SS, CS plates





状态 Stage	阀门 Valve																		
过程 Process	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
进料 Fill	C	O	O	O	C	C	C	C	O	C	C	C	C	C	C	C	C	O	C
过滤 Filter	C	O	O	O	C	O	O	O	C	C	C	C	C	C	C	C	C	C	O
吹芯 Core-blow	C	O	O	O	C	C	O	O	C	O	C	C	C	C	C	C	C	C	O
预压榨 Pre-squeeze	O	C	C	C	C	C	O	O	C	C	C	C	C	C	C	C	O	C	O
洗涤1 Wash cake1	O	C	C	C	C	C	C	C	O	C	O	C	O	C	C	C	O	C	O
预吹风1 Pre-blow1	O	C	C	C	C	C	C	O	C	C	C	O	C	C	O	C	O	C	O
洗涤2 Wash cake2	O	C	C	C	C	O	C	C	C	C	O	C	O	C	C	C	O	C	O
预吹风2 Pre-blow2	O	C	C	C	C	C	O	C	C	C	C	O	C	C	O	O	C	C	O
压榨 Squeeze	O	C	C	C	O	O	O	O	C	C	C	C	C	C	C	C	C	C	O
吹风 Dry	O	C	C	C	O	O	O	O	C	C	C	C	C	C	O	O	C	C	O
排空 Exhaust	C	O	O	C	C	O	O	O	O	C	C	C	C	C	C	C	C	C	O
卸滤饼 Discharge	C	O	O	C	C	O	O	O	O	C	C	C	C	C	C	C	C	C	O

"O" : 阀门开 Valve is opened "C" : 阀门关 Valve is closed
阀门2/3是隔膜保护用, 必须为自动阀 Valve 2 and 3 are for safety of membrane, must be automated valves





化学工业

- ★ 石油化工
- ★ 染料
- ★ 颜料
- ★ 无机盐
- ★ 催化剂
- ★ 非金属矿（白土、高岭土、膨润土等）

Chemical industry

- ★ Petrochemical
- ★ Dyes
- ★ Pigment
- ★ Inorganic salt
- ★ Catalyst
- ★ Nonmetallic ore (clay, kaolin, bentonite etc.)



矿山/冶炼

- ★ 选矿
- ★ 洗煤/尾煤处理
- ★ 有色金属冶炼（铜、锌、锰、镍、钨等）
- ★ 贵金属冶炼（金、银、铂、钯等）

Mine/metallurgy

- ★ Mineral separation
- ★ Coal
- ★ Refining of non-ferrous metal (copper, zinc, manganese, nickel, tungsten etc.)
- ★ Noble metal refining (gold, silver, platinum, cobalt etc.)



食品工业

- ★ 淀粉
- ★ 蔗糖、淀粉糖、功能性糖
- ★ 植物提取物（中药提取物、茶多酚、琼脂等）
- ★ 酒类（啤酒、黄酒、果酒等）
- ★ 食用油（棕榈油、花生油等）
- ★ 果汁、蔬菜汁

Food industry

- ★ Starch
- ★ Cane sugar, starch sugar, functional sugar
- ★ Plant extract (Chinese traditional medicine extract, agar-agar etc.)
- ★ Wines (beer, yellow wine, fruit wine etc.)
- ★ Edible oil (palm oil, peanut oil etc.)
- ★ Fruit juice, vegetable juice



生物制品

- ★ 发酵类抗生素
- ★ 酵母、酶制剂
- ★ 有机酸（味精、柠檬酸、乳酸等）
- ★ 血液制品
- ★ 其他发酵制品

Biological products

- ★ Fermented antibiotics
- ★ Yeast, enzyme
- ★ Organic acid (monosodium glutamate, citric acid, lactic acid etc.)
- ★ Blood products
- ★ Other fermented products



污水处理

- ★ 市政污水
- ★ 工业污水
- ★ 电镀污水
- ★ 高炉洗涤污水

Waste water treatment

- ★ Municipal sewage
- ★ Industrial waste water
- ★ Electroplating waste water
- ★ Waste water of washing blast furnace



备注：以上例子仅指部分使用的行业，实际应用领域更广。

NOTES: The above mentioned examples are given to show parts of the possible areas of applications.

Available actual applications must more than them.



● 淀粉糖 Starch suger



● 滤饼 Filter cake



● 染料 Dye



● 市政污水 Municipal sewage




● 矿山/冶炼 Mining&Refining



● 工厂废水 Industrial wastewater



● 发酵液 Fermented product



● 澄清滤液 Pure filtrate



压滤机功能配置表

OPTIONS & ACCESSORIES OF FILTER PRESS

因为专业 · 所以更好

BETTER DUE TO SPECIALTY

表格内标明压滤机常用功能配置 The following chart shows the filter press with normal options or accessories.			滤板 Filter Plates				压紧方式 Closure system			拉板方式 Shifting plates			辅助卸滤饼 Assistance for cake discharge			安全装置 Safety			其他可选配置 Others optional accessories				
			板框式 Plate & Frame	厢式 Chamber	隔膜式 Membrane	内置滤布 CGR	手动 Manual	手动液压 Hand pump	电动液压 Electr.- Hydr	手动 Manual	自动逐块 Auto-single	自动快开 Auto-multi	滤布曲张 Cloth vibrated	滤板震动 Plate vibrated	滤布行走 Cloth travelled	挡水帘 Splash curtain	安全拉绳 Cord	光幕 Light curtain	自动洗布 Clean cloth	接液翻板 Drip tray	泵 Pump	输送带 Conveyor	操作平台 Platform
310/420mm Series	侧杠式 Side beam		★				★			★											★		
	630mm Series		★	★		★		★	★	★	★	★		★		★	★	★	★	★	★	★	★
800mm Series	侧杠式 Side beam		★	★	★	★		★	★	★	★	★	★	★		★	★	★	★	★	★	★	★
	悬挂式 Overhang beam			★	★	★			★		★	★			★	★	★	★	★	★	★	★	★
1000mm Series	侧杠式 Side beam		★	★	★	★			★	★	★	★	★	★		★	★	★	★	★	★	★	★
	悬挂式 Overhang beam			★	★	★			★		★	★			★	★	★	★	★	★	★	★	★
1250mm Series	侧杠式 Side beam			★	★	★			★	★	★	★	★			★	★	★	★	★	★	★	★
	悬挂式 Overhang beam			★	★	★			★		★	★			★	★	★	★	★	★	★	★	★
1500mm Series	侧杠式 Side beam			★	★	★			★	★	★	★	★	★		★	★	★	★	★	★	★	★
	悬挂式 Overhang beam			★	★	★			★		★	★			★	★	★	★	★	★	★	★	★
2000mm Series	侧杠式 Side beam			★	★	★			★		★	★	★	★		★	★	★	★	★	★	★	★

不是所有的金鸟压滤机功能详细的标明在表格内，联系我们后，为您度身量制的压滤机及配置将满足您的需要
Not all functions of GOLDENBIRD filter press can be adequately depicted in a chart.You will be provided the filter press with an array of options tailoring to your demand after you contact us



金鸟压滤机代表性用户

Goldenbird's Representative User



Bayer MaterialScience



EVONIK INDUSTRIES



HUBER ENGINEERED MATERIALS



正大集团
CHIA TAI GROUP



TOYOTA



HONDA



江铜集团



ICT



ELEMENTIS
SPECIALTIES